Embarcadero 雲端工具 AppWave 中文使用指引

◎ 如何建立私有雲 ◎

◎ 如何將應用程式包裝成 App ◎

- ◎ 如何連線至私有雲 ◎
- ◎ 如何設定序號及權限 ◎
- ◎ 如何安裝 RAD Studio XE2 ◎
- ◎ 如何安裝 RAD Studio XE ◎

捷康科技

獨家呈獻

如何建立私有雲

- `

1. AppWave Trial Download 的網頁中,點選 Download 下載



Media, Productivity, Utility Apps and More

With AppWave, hundreds of free apps are just a click away. Get them with on demand, no install required. AppWave provides on demand, on site app streaming. Discover new tools, work more productivity, and experience apps, not hassles.

Get AppWave. It's Free!

2. 進入 Register/Sign-In 頁面後,填入基本資料後按下 "Submit"

https://downloads.embarc 🔎 👻 🔒	n 🗟 🖒 🗙 👩 embarcadero.com	×			<u>↑</u> ★ ☆
mparcad	ero			search.	
COMPANY V	PRODUCTS 🚽	SOLUTIONS	- RESOURCES	NEWS & EVENTS	SUPPORT
	Register/Sig	n-In			
V Step 1: Select Product	You have selected Emba	arcadero AppWave	• 3.0.1. To download this produ	uct, please complete the registration fo	orm or sign-in below. Upon
Step 2: Register/Sign-In	completion, you will rece	ive further informati	on and installation instructions	at the email address you entered in the	ne registration form.
Step 3: Check Email	First name *			Sign-In »	
	Last name *			If you have registered with us before	, please login.
	Email *				
	Company name *	•		Your Login Password	
	Individual *	0		1 4350014	
	Student *	0		Forgot Pass	word LOGIN
	Country *	Please Se	lect 💌		
	State *	Please Se	lect 💌	Note: After registering, you have free Embarcadero Developer Network (E	e access to the DN). Download free
	Phone *			trials of our products, access special members-only technical papers, on-	community areas, demand videos and
	Create Password *			webinars, plus other technical resour select time zone and language prefe	rces. You can even rences.
	Retype password *				
	* Required Fields				
	Ves I want to recei	ve general marketir	a communications		
	regarding this product a	and related Embarc	adero products and events.		

3. 點選 Embarcadero AppWave Download 連結(紅色框框),可直接進入下載頁面。

Step 1: Select Product	Please select the p	latform, language and version yo	u would like to downloa	ad.		
🖌 Step 2: Register/Sign-In	PLATFORMS	LANGUAGES	VERSION	SIZE		
Step 3: Check Email	Embarcadero AppV	Vave 3.2.2 (32-bit)				
	Embarcadero® AppWave is a free experience for you • AppWave Bro storefront, that • AppWave Stue AppWave apps • AppWave apps • AppWave includes apps you already of Please consult RE Important note: C AppWave will need using AppWave will	AppWave [™] - Full Download enterprise grade private PC app r Windows PC. This download ind wser - a dedicated app browser th lets you search, rate, review, and dio - the authoring tool that lets yo s ur own private PC App Store: a cer ser access, houses app metadal is a selection of popular free apps. own from inside AppWave, as well EADME for up-to-date installation/ru ustomers with retail licenses for of d to request a replacement licens th only Embarcadero software, th	store that provides a m cludes all AppWave con run AppWave apps u turn PC Windows app ntralized repository of y a, supports usage repo It also gives you the op I as to try Embarcadero upgrade instructions. commercial/3rd party, o e when upgrading to Aj en no action is require	obile-like app mponents: into your private plications into our PC apps, that orting, and more! otion to author and use o apps. or custom apps in ppWave 3.2.2. If you are d.		
	🔐 Windows		3.2.2	182.3MB	PRODUCT INFO	DOWNLOAD

4. 下載完成後,執行 AppWave installer

PS. 安裝前請先將防毒軟體等防護功能先暫時關閉或卸載 (ex.卡巴斯基), 待安裝完成再重新打開



5. 執行後將進入安裝準備畫面

InstallAnyw	here
1	InstallAnywhere 正在做安裝準備
	(***
	6%
	取消
(C) 1997-201	0 Flexera Software, Inc. and/or InstallShield Co. Inc.

6. 點選 I accept the terms of the License Agreement 後,點選 Next



- 7. 選擇 Default Installation 後,點選 Next
- PS. 如選擇 Custom Installation, 請確認路徑為全英文,不要用中文

Embarcadero® AppWav	/e'
	Install Options
 ✔ License Agreement ➔ Install Options 	This wizard will guide you through the installation of Embarcadero® AppWave™.
Pre-Installation Summary Installing Install Complete	It is strongly recommended that you quit all programs before continuing with this installation.
	Click the 'Next' button to proceed to the next screen. If you want to change something on a previous screen, click the 'Previous' button.
	You may cancel this installation at any time by clicking the 'Cancel' button.
	Default Installation
appwave	Custom Installation
InstallAnywhere Cancel	Previous

8. 確認安裝及存放路徑,以及使用的相關埠號各項設定值後,點選 Install PS. 建議記錄下這些訊息以供將來參考



9. 正在安裝



10.安裝完成,選擇 For Administrators 後,點選 Finish 或是您也可以選擇 For End-User and Authors,會同時安裝 AppWave Browser



11. AppWave 控制台開啟



 於私有雲上開啟網路瀏覽器(例:IE),輸入網址: <u>http://localhost/aaserver/welcome.spg</u> 並點選 Download AppWave Browser(紅色框框處)



2. 儲存安裝程式



3. 下載完成後,執行 AppWaveBrowser



4. 點選 Accept



5. 點選 Yes, AppWave 將在桌面即開始工作列建立捷徑 (建議)

點選 No,則不會建立捷徑



6. AppWave Browser 將會開啟



點選畫面最上方的 Studio,並點選 Create AppWave Supported Custom App from Install
 PS. Build an App只支援在 32bit 的作業系統上執行



8. 選擇安裝檔案路徑位置(此處以 Skype 為例),點選 Record



9. 安裝 skype



10. Skype 安裝完畢後,請點選 Finished



11. 等待完成後,點選 Finished



12. 點選 Broadcast,發佈您的 App 至私有雲上



13. 點選 **Yes**



14. 選擇一個資料夾存放.tca 檔案後,點選儲存

Θ	Apps	Admin	Studio	applave	- = ×
¢	¢ ← → @	另存新檔 儲存於①:	1 我的文件		
4. 2. 3. 4. 5.	 Start Build an App Launch Launch Command Brand Brand your application App Configure your App Test Master and test your 	Recent 原面 我的文件	Downloads 我的音樂 我的圖片 一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一一		
0.	Broadcast your appli	網路上的芳鄉	楷名(11): 存檔類型(1):	Skype.tsa 《 儲存③ Studio Designer Files 》 取消	

15. App 即發佈至私有雲,完成後點選 Finished



16. 點選畫面最上方的 Apps,即可在 Apps 中搜尋到 Skype



- 三、 如何連線至私有雲
 - 1. 在私有雲以外的電腦開啟網路瀏覽器(例:IE),輸入網址: http://<私有雲 IP>



2. 點選 Download, 下載 AppWave Browser

embarcadero	ADMIN	Help
	and coffware	
Solutions, as well as our award-winning development and database tools. For more information about our products and how to use them, please visit www.em links to product pages and learning resources.	barcadero.co	om for
Download the latest version of the AppWave Browser in English for Windows		
During startup you may be required to provide the following AppWave address:	OWNLOA	D

3. 下載完成後,執行 AppWaveBrowser



4. 點選 Accept

smi user incense Agreement		
EMBARCADERO TECHNOLOGIES, INC.		-
EXPERIMENTAL TEST SOFTWARE LICE	NSE TERMS	
App Wave Beta		
NOTICE: THIS EMBARCADERO SOFTWA	ARE PRODUCT (TOGETHER WITH ITS	
ACCOMPANYING DOCUMENTATION, TH	HE "PRODUCT") IS THE PROPERTY OF	
EMBARCADERO TECHNOLOGIES, INC.	("EMBARCADERO"). THE PRODUCT IS MAI	DE
A VAILABLE TO YOU, SUBJECT TO THE . ("LICENSE"). PLEASE READ THIS LICEN	FOLLOWING LICENSE AGREEMENT	
USING THE PRODUCT. A COPY OF THIS	LICENSE IS AVAILABLE FOR YOUR FUTURI	E
REFERENCE IN THE "LICENSE.TXT" FILI	E PROVIDED WITH THE PRODUCT.	
YOU MAY ACCEPT THIS LICENSE BY IN	DICATING YOUR ACCEPTANCE BELOW. YO	U .
SEASTINE TRAFF TETRA E LATERIAN. A RIN TETRE	MILTE THE BISTLI I LTAN BRASESS DU	
	Accept Decl	ine

5. 點選 Yes, AppWave 將於桌面及開始工作列建立捷徑 (建議) 點選 No,則不會建立捷徑

G Apps	app	-	o x
✿ ċ ⇐ ⇒ ⊙ ۶		::	Ξ
Administrator's Apps AppBookmarks			1
* AppWave			
Notifications			
Activity	rm Would you like to add shortcuts for the App Wave™ Browser on your Desktop and in the Start Menu? ∑es No		

6. AppWave Browser 將會開啟,並可開始尋找及執行私有雲中的 Apps



下列附上目前三種 License 的定義說明提供參考。

1) Workstation User

A Workstation license is locked to one machine ("node-lock") or one person ("named user"). A node-locked Workstation license can be installed on only one machine and cannot be used concurrently. A named user Workstation license is registered to an individual and the named user is the only person permitted to use the product. The Workstation licensing options work best for power-users who need a copy of the software available on their workstation at all times. Workstation licensees are required to create an Embarcadero Developer Network account in order to register their product. A Workstation license does not require installation of a license server.

2) Network Named User

Network Named User is similar to Workstation licensing in that a license is designated to an individual. Licenses are managed over a network using AppWave. An administrator installs AppWave a central location on your network where users are authorized to operate the product. The Network Named User is guaranteed access to that license at all times or until the Administrator revokes access.

This option has many advantages including centralized administration, fast and easy provisioning and de-provisioning of software assets, and asset management features including usage reports.

3) Network Concurrent User

Network Concurrent licenses are managed through AppWave. It provides users with the flexibility of using any Embarcadero product, but will only acquire a license when the application is open. This license option tracks the number of simultaneous users. If the number of simultaneous users exceeds the number of purchased licenses, anyone who subsequently tries to start the software is denied access. Network Concurrent licenses are only valid for the global region in which they are sold.

1. 點選畫面最上方的Admin,並點選 Set up licenses



2. 點選 Retrieve licenses 取得所購買的序號



3. 輸入購買序號時的訂單資訊 (登入名稱、密碼、序號證書號碼) 點選 Retrieve

Apps Admin Stud	appwave	- = ×
embarcader	WELCOME, admin 🐨 NOTIFICATIONS (50 NEW) HOME Hel	P É
C APPWAVE	Retrieve License	E
😂 MANAGE USERS & GROUPS	* Login name:	
😤 Users	* Password:	
්පි Groups සී LDAP	Certificate number(s):	
ANAGE FOLDERS	Enter one or more comma-separated Certificate numbers, to retrieve just those licenses you specified. Host address:	
All Apps	This is the AppWave address used by clients for license requests. Ensure that it is correct. If not, specify the correct address as either a host name (hostname.hostdomain.com) or an IP address (123.123.12.1).	
Communications	The fields indicated with an asterisk (*) are required to complete your request.	
Developer Tools	Retrieve	
🔯 App Folders	All hosted licenses are automatically downloaded under confidirectory.	
ANNAGE ADDE	For instance increases and accontant and any detrinational and in our end windows y. ▶ You will need to reload server licenses manually if reload is not done during hosting.	//////////////////////////////////////

4. 點選 Host Selected Licenses

Apps Admin	appwave	×
⇔ c ← ⇒ ⊘ ⊘		
embarcade	WELCOME, admin 🐨 NOTIFICATIONS (50 NEW) HOME Help	Î
C APPWAVE	Retrieve Licenses	E
🔀 Dashboard	Select Licenses 🚦 All 🖶 None	
😂 MANAGE USERS & GROUPS	📝 RAD Studio XE2 Architect Concurrent - AppWave	
*을 Users '왕 Groups ᄰᇗ LDAP	This license already exists. Certificate ID: 164706 License units: 2 Expiration date: 2012/9/1	
ANAGE FOLDERS		
 All Apps All-Access Communications Database Tools Developer Tools App Folders 	Select Licenses Ball Done Host Selected Licenses Cancel	
MANAGE ADDS		//////////////////////////////////////

5. 點選 Finish



6. 點選畫面左方的 License Inventory,檢視目前的產品序號清單



7. 設定 License Assignments,點選 Concurrent / Named 的 Permissions 請依照您所購買的License版本類型進行設定 (Concurrent User / Named User / Workstation User)



8. 設定 Concurrent / Named Users,點擊 Add Entry 新增使用者



9. 設定 Concurrent / Named Users 後,指定所要分派給該User的 Machine name、Licenses、Users and Groups後,按 Save 儲存

Apps Admin	Studio	appwave	×
\$ C € ⇒ © >			2 8 8
🛱 APPWAVE	🝓 Add Con	ncurrent Users	ŕ
Cashboard	* Machine name:	ANY	
😂 MANAGE USERS & GROUPS	* Permissions:	 ⊘ Deny ♥ Allow 	
약을 Users 약중 Groups 읊 LDAP	Offline usage: * Licenses:	0 days 0 hours RAD Studio XE2 Architect (100:209)	
ANAGE FOLDERS			
All Apps			
Database Tools		P [Add Licenses] 💥 [temove All
Developer Tools	* Users and Groups:		
🛱 MANAGE APPS			

五、 如何安裝 RAD Studio XE2

1. 在 Delphi XE2 (Update4) 中點選Run,開始下載 XE2自動執行檔



2. XE 2 自動執行檔下載完成後會自動解壓縮到 temp 暫存目錄

€	Apps	Admin	Studio	appwave	5 ×
¢	¢ ♦ ⇒ ⊘	p			
- K	evin's Apps				^
	AppBookmarks		Delpl	nis XE2 (Update 4) waa ka falaatuwa ta tuka uto dak uto faatiliin tuua anii ahaa Dramatianiy adwa aadian tima and caata anii ahaa Sufaata wiita	
	Store Apps		comp	inclutions Depine is the lastest way to denote bindericit, binderics windows applications, brainatically reduce county time and create applications or laster windows applications, brainatically reduce county time and create applications or laster windows applications, brainatically reduce county time and create applications or laster windows applications, brainatically reduce county time and create applications or laster windows applications. Drainatically reduce county time and create applications or laster windows applications, brainatically reduce county time and create applications or laster windows applications of the	
• A	ppWave			C 6 Run View Channel	
	늘 All-Access	25	🍟 WinRAR self-ex	tracting archive	
	Communications	; 6		Extracting AQtime\AQtimeStdRADStudioXEandXE2_730x86_build535 exe nguage for rapidly developing. NET, Mono, ASP.NET, and	1
	늘 Database Tools	30	\sim		
	늘 Developer Tools	33			
	Education	8			
	늘 IDEs	14		o aware of the run-time type checks that you made, after	
	늘 Media Applicatio	ns <mark>91</mark>			
	늘 Popular	9			
	Productivity	65		cial and open source. Java EE 5 application convers	
	늘 Utility	263		uarano open source Java EE 9 appintanon servers.	
• A	ppWave Store			Destination folder	
	Communication			C:\Users\Kevin\AppData\Local\Temp\RADStudioXE2_Upd4 v Browse	
	늘 Database			Installation progress dynamic web applications. Komodo IDE makes creating	
	늘 Development				
	Education & Ref	erence		Close	
	늘 Games		RadP	HP™ XF2 llodate 2	
	늘 Multimedia			rcadero® RadPHP™ XE revolutionizes web development with a completely integrated, rapid visual development approach and component framework for PHP. owerful PHP editor and debugger increase coding speed and efficiency. The integrated, more	
_	Productivity			The I Run View Channel	

點選 Install Delphi XE2 and/ or C++Builder XE2
 PS. 安裝前請先將防毒軟體等防護功能先暫時關閉或卸載 (ex.卡巴斯基),待安裝完成再重新打開

💼 RAD Studio XE2 Launcher	×
RAD STUDIO XE2	
Install Delphi XE2 and/or C++Builder XE2	
Install InterBase XE Developer Edition (32-bit)	
Install InterBase XE Developer Edition (64-bit)	
Installation Notes	
Exit	
Ombarcadero	

4. _ 輸入 User Name, User Company 即可點選 Next 下一步

🕑 Embarcadero RAD Studio XE2 - I	nstallAware Wizard		
Product Registration			•
 Collecting data 	User Name:		
Preparing	HP		
• Executing	User <u>C</u> ompany: Hewlett-Packard		
• Finalizing			
embarcadero ⁻			
	< <u>B</u> ac	k <u>N</u> ext >	Cancel

5. 點選需要安裝的程式 Delphi XE2, C++Builder XE2



6. 等待安裝完成即可開始使用 RAD Stideo XE2

Eile Edit Search View Refactor Project Run Component Iools AQtime Window Help	
Image: Seconds Image: Seconds Image: Seconds Image: Seconds Image: Structure Image: Seconds Image: Seconds Image: Seconds Image: Structure Image: Seconds Image: Seconds Image: Seconds	
Image: Structure Image: Structure Image: Structure Image: Structure	
	F
Projects News Resources Documentation	
Recent Projects Recently Opened Projects	
New Project	
Upen Project	
My Favorites	
A Object Inspector Tou have not selected any	
Tayorites. Select Projects -> Show Recent Projects from	
the Welcome Page menu to	ta
create your ravontes.	₽≈
1 Profiling	
Bolphi Projects Delphi Files When the second se	=
Copyright ¹ 1994-2010 Embarcadero Technologies, Inc. All rights reserved.	
A III b Dephi Projects	
完成 Browser	

六、 如何安裝 RAD Studio XE

1. 在 Delphi XE 中點選Run,開始下載 XE 自動執行檔



2. XE 自動執行檔下載完成後會自動解壓縮到 temp 暫存目錄,先點 選 Cancel 取消解壓縮的動作



3. 手動複製XE的自動執行檔到別的目錄下解壓縮執行安裝

預設目錄請參考:

C:\ProgramData\Embarcadero\Product Repository\DELPHI\XE (November 2010)**delphicbuilder_xe_3953_win.exe**

Burn Dalphi ME (Novan	-bar 2010, it will download as be	dan -				<u> </u>
😋 🔾 🗢 📙 « ProgramData 🕨 Emb	parcadero 🕨 Product Repository 🕨 DELPHI 🕨 XE ((November 2010)	▼ 4 9	搜尋 XE (Novem	ber 2010)	٩
組合管理 ▼ 💼 開啟 焼錄	新増資料夾				•== •	0
■ ☆ 我的最愛	▲ 名稱 [▲]	修改日期	類型	大小		
🕠 下載	delphicbuilder_xe_3953_win.exe	2012/5/17 下午 06:37	應用程式	2,186,674		
三 桌面						
3 最近的位置						
Vropbox						
Syncivie		004.0./5./47.T.f. 05.44				
eeipnicbuilder_xe_3953_w 應用程式	/IN.exe 修成口期: 2012/5/1/下午 06:37 建亚日期: 2 大小: 2.08 GB	2012/5/17 下午 05:11				

4. 將delphicbuilder_xe_3953_win.exe複製到別的目錄下解壓縮

	本機磁碟機 (F:) ▶ temp ▶		▼ 4 <i>投尋</i>	Q
檔案(<u>F</u>) 編輯(<u>E</u>) 檢視(⊻)	工具(I) 說明(H)			
🌗 組合管理 👻 🏢 檢視	▼ 👶 燒錄			?
最愛的連結	名稱	修改日期	類型	大小
	lephicbuilder_xe_3953_win	2012/5/16 下午 04:28	檔案資料夾	
泉風 泉面	😴 delphicbuilder_xe_3953_win.exe	2012/5/15 下午 05:04	應用程式	2,186,674 KB
▶ 文件				
其他 >>				
資料夾	^			
2 個項目				

執行install_RADStudio.exe 安裝

							×
	▶ 電腦 ▶ 本機	š磁碟機 (F:) ▸ temp ▸ delphic	builder_xe_3953_win →	 ✓ ✓ 	≩		Q
檔案(E) 編輯((且) 檢視(⊻) 工	具(I) 說明(<u>H</u>)					
🎍 組合管理	✔ Ⅲ 檢視 ✔	📄 開啟 🖃 電子郵件 修 爆	語録				?
最愛的連結		名稱 ^	修改日期	類型	大小	標記	*
		install_ja.htm	2010/10/28 下午 05	Firefox HTML Docu	34 KB		
桌 桌面		install_RADStudio.exe	2010/11/4 上午 10:	應用程式	1,824 KB		
🛛 📓 文件		license_de.rtf	2010/8/22 下午 06:	Rich Text Format	133 KB		
其他 >>		🖳 license_en.rtf	2010/8/22 下午 06:	Rich Text Format	121 KB		=
		🕙 license_fr.rtf	2010/8/22 下午 06:	Rich Text Format	105 KB		
12年1月1日	•	Dicense iartf	2010/8/22 下午 06	Rich Text Format	592 KR		Ψ.
員 // 4.9%		•					•
	install_RADStu	dio.exe 修改日期: 2010/11/4_	上午 10:44				
	應用程式	大小: 1.78 MB					
		建立日期: 2012/5/16	下午 04:28				

5.點選 Install Delphi XE and/ or C++Builder XE

PS. 安裝前請先將防毒軟體等防護功能先暫時關閉或卸載 (ex.卡巴斯基), 待安裝完成再重新打開

Install Delphi XE and/or C++Builder XE	
Install Delphi XE and C++Builder XE Documentation	
ER/Studio Developer Edition	
InterBase 2009 Developer	
InterBase ODBC Driver	
Remote Debugger	
Download Partner ISO	
InstallAware Express	
CollabNet SubVersion Server	
Help	
Exit	
e mbarcad	ero

6. 輸入 XE2 所附贈的 XE 序號進行安裝

回 Embarcadero RAD Studio XE - In	stallAware Wizard			
Product Registration				1
 Collecting data Preparing Executing Finalizing 	User Name: HP User <u>C</u> ompany: Hewlett-Packard Serial Number	· · · · · · · · · · · · · · · · · · ·		
embarcadero [.]		< Back	Next >	Cancel